

KORUA
SHAPES

WINTER
2026 / 27





KORUA
SHAPES

WITH A DEEP APPRECIATION FOR TURNING ON
SNOW AND INNOVATIVE SHAPE DESIGN, WE
CREATE TRULY UNIQUE RIDING EXPERIENCES,
SIMPLY FOR THE SAKE OF BEAUTY AND JOY.

WELCOME TO KORUA
→ WINTER 2026/27

CLASSIC LINE



**TRANSITION
FINDER**



DART



OTTO



PENCIL



CAFÉ RACER



PIN TONIC



UBEREGG



APOLLO



STORCH



**POCKET
ROCKET**

PLUS LINE



DART PLUS



**TRANSITION
FINDER PLUS**



PENCIL PLUS



OTTO PLUS



**CAFÉ RACER
PLUS**



**BULLETTRAIN
PLUS**

SPLIT LINE



**TRANSITION
FINDER SPLIT**



**ELEVATOR
SPLIT**



QUILL SPLIT

BRUSHED TOP SHEET

For over a decade, we have continued to refine and improve our boards, not only in shape and design, but in construction, while staying true to a consistent carry over model. Each update reflects years of riding, testing, and learning, always guided by the same principles that define KORUA.

As we move forward, our Classic Shapes will be offered exclusively with our brushed topsheet construction. This material represents a natural evolution of what we value most: a lighter, more durable, and more responsible approach to board building, while preserving the feel and performance our shapes are known for. It is not a departure from our past, but a continuation of it.


Thank you for riding with us and for being part of this journey. We look ahead with the same focus as always: thoughtful progression, lasting performance, and many more turns to come.






CAMBER PROFILES


Full Camber / Float Camber / Full Rocker



Our **full camber** is a modern version of the classic camber that many of us grew up with. Like the classic, it offers more stability and grip because more of your board is in the snow when it's set on edge. Unlike the classic version, ours offers more float and speed in soft snow due to a smoother transition into the nose area.



Our smooth **float camber** curves into a rocker shape in the nose area creating an S-like shape. This design gives you the lift you need in deep powder, improving float while maintaining speed throughout the whole turn. It also offers response and stability when going for airs or simply turning in variable conditions.




Our **full rocker** offers the most float of all our board profiles. It's only applied to a few shapes like the Pocket Rocket and Über Egg. Combined with these unconventional shape designs it makes for a truly unique riding experience in deep conditions.

KORUA

CLASSIC

KORUA SHAPES GREW OUT OF A DEEP APPRECIATION FOR TURNING ON SNOW. THEREFORE WE ASPIRE TO MAKE EASY-TO-RIDE SNOWBOARDS WHERE EACH AND EVERY SHAPE SHARES THE ABILITY TO CARVE EXCEPTIONALLY WELL ON PISTE AND EXCEL IN POWDER.

FIND OUT MORE ABOUT OUR CLASSIC LINE SHAPES VIA OUR [PRODUCT OVERVIEW VIDEOS](#)



TRANSITION FINDER

150, 154, 157, 160



DART

147, 152, 156, 160, 164



OTTO

148, 153, 157, 161, 164



PENCIL

147, 153, 159, 164



PENCIL JUNIOR

138



POCKET ROCKET

129



NEW LENGTHS

CLASSIC LINE

CAFÉ RACER

150, 156, 159, 164



ÜBEREGG

157



PIN TONIC

159, 166, 172



APOLLO

157, 162



STORCH

162, 168, 178



NEW



SPECS	Storch 62	Storch 68	Storch 78
Size (cm)	162	168	178
Effective edge (mm)	1200	1250	1300
Running length (mm)	1050	1100	1120
Nose width (mm)	327	332	340
Waist width (mm)	268	269	270
Tail width (mm)	293	293	292
Sidecut (m)	8.2	8.4	8.8
Setback (mm)	38	40	40
Taper (mm)	34	40	50
Ref. stance (cm)	55	55	55
Adjust. stance range (cm)	49-61	49-61	49-61
Board weight (kg)	2,8	3,1	3,3
Flex (1-10)	5	5	5
Float (1-10)	9	9	10
Topsheet	Ultralight Brushed	Ultralight Brushed	Ultralight Brushed
Fabric	Biaxial CW	Biaxial CW	Biaxial CW
Core	Paulownia / Poplar Light	Paulownia / Poplar Light	Paulownia / Poplar Light
Base Material	Perlatech	Perlatech	Perlatech
Base Construction	Classic	Classic	Classic
Finish	Beltgrind	Beltgrind	Beltgrind
Edges	Steel	Steel	Steel
Shape	Directional	Directional	Directional
Switch Riding	Challenging	Challenging	Challenging
Rider weight (kg)	55-85	55-90	55-90
Boot size (EU)	up to -46	up to -46	up to -46

CLASSIC LINE

SPECS	Transition Finder 50	Transition Finder 54	Transition Finder 57	Transition Finder 60	Otto 48	Otto 53	Otto 57	Otto 61	Otto 64	Café Racer 50	Café Racer 56	Café Racer 59	Café Racer 64
Size (cm)	150	154	157	160	148	153	157	161	164	150	156	159	164
Effective edge (mm)	1130	1170	1200	1220	1090	1120	1170	1210	1240	1100	1160	1200	1230
Running length (mm)	960	1000	1020	1040	920	970	1010	1050	1070	950	1010	1050	1090
Nose width (mm)	294	306	316	327	278	291	298	309	317	302	311	322	330
Waist width (mm)	252	260	268	278	244	255	260	268	274	254	260	269	276
Tail width (mm)	278	288	298	309	278	291	298	309	317	276	284	294	302
Sidicut (m)	8.1	8.1	8.2	8.2	8	8.1	8.2	8.3	8,4	7.9	8	8.2	8.5
Setback (mm)	20	20	20	20	10	10	10	10	10	35	35	35	35
Taper (mm)	16	18	18	18	0	0	0	0	0	26	27	28	28
Ref. stance (cm)	54	55	56	56	51	55	55	56	56	53	54	55	55
Adjust. stance range (cm)	50-58	51-59	52-60	52-60	45-57	51-59	52-60	52-60	50-62	49-57	50-58	51-59	51-59
Board weight (kg)	2,7	2,8	2,9	3,1	2,4	2,7	2,8	3	3,2	2,6	2,7	2,8	3,1
Flex (1-10)	5	6	6	6	5	6	6	6	6	6	7	7	7
Float (1-10)	6	6	7	7	5	6	6	6	6	7	7	7	8
Topsheet	Ultralight Brushed	Ultralight Brushed	Ultralight Brushed	Ultralight Brushed	Ultralight Brushed	Ultralight Brushed	Ultralight Brushed	Ultralight Brushed	Ultralight Brushed	Ultralight Brushed	Ultralight Brushed	Ultralight Brushed	Ultralight Brushed
Fabric	Biaxial	Biaxial	Biaxial	Biaxial	Biaxial	Biaxial	Biaxial	Biaxial	Biaxial	Biaxial	Biaxial	Biaxial	Biaxial
Core	Poplar Light	Poplar Light	Poplar Light	Poplar Light	Poplar Light	Poplar Light	Poplar Light	Poplar Light	Poplar Light	Poplar Light	Poplar Light	Poplar Light	Poplar Light
Base Material	PTEX 3000	PTEX 3000	PTEX 3000	PTEX 3000	PTEX 3000	PTEX 3000	PTEX 3000	PTEX 3000	PTEX 3000	Perlatech	Perlatech	Perlatech	Perlatech
Base Construction	Classic	Classic	Classic	Classic	Classic	Classic	Classic	Classic	Classic	Classic	Classic	Classic	Classic
Finish	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind
Edges	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel
Shape	Directional	Directional	Directional	Directional	Directional	Directional	Directional	Directional	Directional	Directional	Directional	Directional	Directional
Switch Riding	Hell Yeah	Hell Yeah	Hell Yeah	Hell Yeah	Hell Yeah	Hell Yeah	Hell Yeah	Hell Yeah	Hell Yeah	Doable	Doable	Doable	Doable
Rider weight (kg)	40-75	50-80	60-90	70-95	45-80	45-80	55-90	60-95	60-95	45-75	50-80	55-85	65-95
Boot size (EU)	up to -41	up to -44	up to -46	up to -49	up to -40	up to -43	up to -44	up to -47	up to -47	up to -42	up to -44	up to -46	up to -49

CLASSIC LINE

SPECS	Pencil 47	Pencil 53	Pencil 59	Pencil 64	Pencil Junior 38	Pin Tonic 59	Pin Tonic 66	Pin Tonic 72	Dart 47	Dart 52	Dart 56	Dart 60	Dart 64
Size (cm)	147	153	159	164	138	159	172	172	147	152	156	160	164
Effective edge (mm)	1060	1100	1160	1200	980	1130	1200	1260	1100	1160	1200	1230	1270
Running length (mm)	920	950	1030	1060	840	990	1050	1120	960	1010	1050	1090	1130
Nose width (mm)	298	302	311	322	280	308	321	332	302	311	322	328	336
Waist width (mm)	252	254	260	269	240	260	268	276	252	260	269	274	280
Tail width (mm)	272	276	284	294	256	282	293	303	276	284	294	300	308
Sidecut (m)	7.9	8	8.1	8.2	7.8	8.2	8.4	8.6	8	8.1	8.2	8.3	8.4
Setback (mm)	35	35	35	35	35	35	35	20	40	40	40	40	40
Taper (mm)	26	27	28	28	24	26	28	28	26	27	28	28	28
Ref. stance (cm)	53	53	55	55	46	53	55	55	51	52	53	53	53
Adjust. stance range (cm)	49-57	49-57	51-59	51-59	42-50	47-59	49-61	49-61	47-55	48-56	49-57	49-57	49-57
Board weight (kg)	2,6	2,7	2,8	3	2,3	2,8	3,1	3,1	2,4	2,5	2,7	2,9	3,1
Flex (1-10)	6	6	6	6	6	7	7	7	5	6	7	7	7
Float (1-10)	7	8	8	8	7	7	8	8	7	7	7	8	8
Topsheet	Ultralight Brushed	Ultralight Brushed	Ultralight Brushed	Ultralight Brushed	Ultralight Brushed	Ultralight Brushed	Ultralight Brushed	Ultralight Brushed	Ultralight Brushed	Ultralight Brushed	Ultralight Brushed	Ultralight Brushed	Ultralight Brushed
Fabric	Biaxial	Biaxial	Biaxial	Biaxial	Biaxial	Biaxial	Biaxial	Biaxial	Biaxial	Biaxial	Biaxial	Biaxial	Biaxial
Core	Poplar Light	Poplar Light	Poplar Light	Poplar Light	Poplar Light	Poplar Light	Poplar Light	Poplar Light	Poplar Light	Poplar Light	Poplar Light	Poplar Light	Poplar Light
Base Material	Perlatech	Perlatech	Perlatech	Perlatech	Perlatech	Perlatech	Perlatech	Perlatech	Perlatech	Perlatech	Perlatech	Perlatech	Perlatech
Base Construction	Classic	Classic	Classic	Classic	Classic	Classic	Classic	Classic	Classic	Classic	Classic	Classic	Classic
Finish	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind
Edges	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel
Shape	Directional	Directional	Directional	Directional	Directional	Directional	Directional	Directional	Directional	Directional	Directional	Directional	Directional
Switch Riding	Doable	Doable	Doable	Doable	Doable	No Problem	No Problem	No Problem	Challenging	Challenging	Challenging	Challenging	Challenging
Rider weight (kg)	40-60	45-75	55-90	60-95	30-50	55-85	55-85	65-95	50-80	50-80	55-95	65-95	65-95
Boot size (EU)	up to -41	up to -42	up to -44	up to -46	up to -38	up to -46	up to -49	up to -49	up to -42	up to -44	up to -46	up to -48	up to -50


SPECS	Pocket Rocket 29	Über Egg 57	Apollo 57	Apollo 62
Size (cm)	129	157	157	162
Effective edge (mm)	950	1030	1140	1190
Running length (mm)	Full Rocker	Full Rocker	1000	1050
Nose width (mm)	359	352	312	323
Waist width (mm)	302	290	262	269
Tail width (mm)	296	286	284	294
Sidecut (m)	8.2	8.8	8,1	8,2
Setback (mm)	20	60	20	20
Taper (mm)	44	36	29	29
Ref. stance (cm)	54	45	53	53
Adjust. stance range (cm)	44-58	42-66	47-59	47-59
Board weight (kg)	2,4	2.7	2,7	2,8
Flex (1-10)	6	6	7	7
Float (1-10)	8	9	8	8
Topsheet	Ultralight Brushed	Ultralight Brushed	Ultralight Brushed	Ultralight Brushed
Fabric	Biaxial	Biaxial	Biaxial	Biaxial
Core	Poplar Light	Poplar Light	Poplar Light	Poplar Light
Base Material	Perlatech	Perlatech	Perlatech	Perlatech
Base Construction	Classic	Classic	Classic	Classic
Finish	Beltgrind	Beltgrind	Beltgrind	Beltgrind
Edges	Steel	Steel	Steel	Steel
Shape	Directional	Directional	Directional	Directional
Switch Riding	Doable	Absolutely	Challenging	Challenging
Rider weight (kg)	50-90	55-95	50-80	55-90
Boot size (EU)	up to -52	up to -52	up to -44	up to -46



KORUA⁺

+ STANDS FOR ADDITIONAL QUALITY AND PERFORMANCE. BY MERGING PREMIUM MATERIALS WITH PERCISE SHAPE DESIGN AND TECHNOLOGY WE AIM TO BUILD THE BEST SNOWBOARDS POSSIBLE.

FIND OUT MORE ABOUT OUR PLUS LINE SHAPES VIA OUR [PRODUCT OVERVIEW VIDEOS](#)





PENCIL +
159, 164



NEW LENGTHS

CAFÉ RACER +
159



DART +
156, 164



PLUS LINE

OTTO +
157, 161



TRANSITION FINDER +
154, 157



BULLET TRAIN +
160



PLUS LINE

SPECS	Pencil 59 +	Pencil 64 +	Transition Finder 54 +	Transition Finder 57 +	Otto 57 +	Otto 61 +	Dart 56 +	Dart 64 +	Café Racer 59 +	Bullet Train 61 +
Size (cm)	159	164	154	157	157	157	156	164	159	160
Effective edge (mm)	1160	1200	1170	1200	1170	1210	1200	1260	1200	1324
Running length (mm)	1030	1060	1010	1040	1010	1050	1050	1120	1060	1180
Nose width (mm)	311	324	306	316	298	309	322	332	324	321
Waist width (mm)	260	269	260	268	260	268	269	276	269	269
Tail width (mm)	284	293	288	298	298	309	294	303	293	299
Sidecut (m)	8.1	8.2	8.1	8.2	8.2	8.3	8.2	8.6	8.2	9.8
Setback (mm)	35	20	20	20	10	10	40	40	20	30
Taper (mm)	28	31	18	18	0	0	28	28	31	22
Ref. stance (cm)	55	55	55	55	55	56	53	53	55	53
Adjust. stance range (cm)	49-61	51-59	49-61	51-59	51-59	52-60	49-57	49-57	49-95	49-61
Board weight (kg)	2.5	2.65	2.4	2.5	2.5	2.6	2.9	3.2	3.4	3.3
Flex (1-10)	7	7	7	7	7	7	7	7	8	9
Float (1-10)	8	8	7	7	6	6	7	8	7	5
Topsheet	PA Triple Compound	PA Triple Compound	PA Triple Compound	PA Triple Compound	PA Triple Compound	PA Triple Compound	PA Triple Compound	PA Triple Compound	Perlatec	PA Triple Compound
Fabric	Carbon Multiaxial	Carbon Multiaxial	Carbon Multiaxial	Carbon Multiaxial	Carbon Multiaxial	Carbon Multiaxial	Carbon Multiaxial	Carbon Multiaxial	Titanal	Titanal
Core	Paulownia / Poplar Light	Paulownia / Poplar Light	Paulownia / Poplar Light	Paulownia / Poplar Light	Paulownia / Poplar Light	Paulownia / Poplar Light	Paulownia / Poplar Light	Paulownia / Poplar Light	Poplar Light	Poplar Light
Base Material	Perlatec HS	Perlatec HS	Perlatec HS	Perlatec HS	Perlatec HS	Perlatec HS	Perlatec HS	Perlatec HS	Perlatec HS	Perlatec HS
Base Construction	Classic	Classic	Classic	Classic	Classic	Classic	Classic	Classic	Classic	Classic
Finish	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind
Edges	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel
Shape	Directional	Directional	Directional	Directional	Directional	Directional	Directional	Directional	Directional	Directional
Switch Riding	Doable	Doable	Hell Yeah	Hell Yeah	Hell Yeah	Hell Yeah	Challenging	Challenging	Doable	Doable
Rider weight (kg)	55-90	60-95	50-80	60-90	55-90	60-95	55-90	65-95	60-95	65-95
Boot size (EU)	up to -44	up to -46	up to -44	up to -46	up to -44	up to -47	up to -46	up to -50	up to -46	up to -46

KORUA

SPLIT

MADE FOR HUMAN POWERED EXPLORATION FAR AWAY FROM THE LIFTLINES, AND STAYING TRUE TO OUR CORE PHILOSOPHY, WE DESIGN OUR SPLITBOARDS TO TURN AND FLOAT REMARKABLY WELL.

FIND OUT MORE ABOUT OUR SPLIT LINE SHAPES VIA OUR [PRODUCT OVERVIEW VIDEOS](#)





SAM HÜTTINGER & AARI HOWARTH

TRANSITION FINDER SPLIT

148, 153, 157, 162



NEW LENGTHS

ELEVATOR SPLIT

157, 162



QUILL SPLIT

155, 160



SPLIT LINE

SPECS	Transition Finder Split 48	Transition Finder Split 53	Transition Finder Split 57	Transition Finder Split 62	Elevator Split 57	Elevator Split 62	Quill Split 55	Quill Split 160
Size (cm)	148	153	157	162	157	162	155	160
Effective edge (mm)	1120	1160	1200	1240	1180	1230	1170	1230
Running length (mm)	930	980	1040	1070	1010	1060	1010	1090
Nose width (mm)	283	297	321	322	299	303	312	317
Waist width (mm)	244	252	266	274	258	260	268	270
Tail width (mm)	268	280	290	304	279	283	288	292
Sidecut (m)	8	8.1	8.2	8.4	9.2	9.4	8.8	9
Setback (mm)	30	30	20	30	35	35	25	25
Taper (mm)	15	17	16	18	20	20	18	25
Ref. stance (cm)	51	53	55	55	52	52	52	52
Adjust. stance range (cm)	46-56	48-58	50-60	50-60	47-57	47-57	47-57	47-57
Board weight (kg)	3	3,1	3.3	3.4	2.5	2.6	2,7	2,8
Flex (1-10)	4	4	5	6	7	7	6	6
Float (1-10)	7	7	8	8	7	7	8	8
Topsheet	ULTRALIGHT Brushed	ULTRALIGHT Brushed	ULTRALIGHT Brushed	ULTRALIGHT Brushed	ULTRALIGHT Brushed	ULTRALIGHT Brushed	ULTRALIGHT Brushed	ULTRALIGHT Brushed
Fabric	Biaxial	Biaxial	Biaxial	Biaxial	Carbon Multiaxial	Carbon Multiaxial	Biaxial	Biaxial
Core	Poplar Light	Poplar Light	Poplar Light	Poplar Light	Paulownia / Poplar Light	Paulownia / Poplar Light	Poplar Light	Poplar Light
Base Material	Perlatech	Perlatech	Perlatech	Perlatech	Perlatech	Perlatech	Perlatech	Perlatech
Base Construction	Classic	Classic	Classic	Classic	Classic	Classic	Classic	Classic
Finish	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind	Beltgrind
Edges	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel
Shape	Directional	Directional	Directional	Directional	Directional	Directional	Directional	Directional
Switch Riding	No Problem	No Problem	No Problem	No Problem	No Problem	No Problem	No Problem	No Problem
Rider weight (kg)	40-70	50-80	60-90	70-100	55-85	65-95	55-90	65-95
Boot size (EU)	up to -40	up to -42	up to -46	up to -48	up to -44	up to -44	up to -47	up to -49



MAIN OFFICE

Bahnhofstrasse 75
83098 Brannenburg
Germany

0049 8034 6369969
www.koruashapes.com
info@koruashapes.com

Management / Engineering
jerry@koruashapes.com

**Product Design /
Lead Ambassador**
nicholas@koruashapes.com

**International Sales & Retail /
EU Customer Service**
vincent@koruashapes.com

**North America Sales & Retail /
Customer Service**
benji@koruashapes.com

**North America Operations /
Marketing & Media**
geoff@koruashapes.com

Japan Customer Service
soffi@koruashapes.com

Social Media & Marketing
jack@koruashapes.com

Accounting
renate@koruashapes.com

Creative & Media
aaron@koruashapes.com

Instagram: [@korua_shapes](https://www.instagram.com/korua_shapes)
Facebook: [@koruashapes](https://www.facebook.com/koruashapes)
[YouTube.com/KoruaShapes](https://www.youtube.com/KoruaShapes)
[#madeforturning](https://www.tiktok.com/koruashapes)

THANK YOU FOR SNOWBOARDING

